

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Nitric Acid

Other means of identification

Synonyms: Aqua Fortis, Azotic Acid
Product No.: 9604, V471, V231, V230, V077, 6623, 2712, 2707, 2706, 2704, H988, 5876, 5856, 5801, 5796, 1409, 9761, 9670, 9618, 9617, 9616, 9615, 9612, 9607, 9606, 9601, 9598, 9597, 5371, 20758, 20754, 20752, 20750, 9766

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.
Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Avantor Performance Materials, LLC.
Address: 3477 Corporate Parkway
 Center Valley, PA 18034

Telephone: Customer Service: 855-282-6867

Fax: 610-573-2610
Contact Person: Environmental Health & Safety
E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada

2. Hazard(s) identification

Hazard Classification

Physical Hazards

| | |
|--------------------|------------|
| Oxidizing liquids | Category 3 |
| Corrosive to metal | Category 1 |

Health Hazards

| | |
|--|-------------------------|
| Skin Corrosion/Irritation | Category 1A |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Specific Target Organ Toxicity - Single Exposure | Category 3 ¹ |

Target Organs

1. Respiratory tract irritation.

Unknown toxicity - Health

| | |
|------------------------|------|
| Acute toxicity, oral | 65 % |
| Acute toxicity, dermal | 65 % |

Acute toxicity, inhalation, vapor 65 %
Acute toxicity, inhalation, dust 65 %
or mist

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: May intensify fire; oxidizer.
May be corrosive to metals.
Causes severe skin burns and eye damage.
May cause respiratory irritation.

Precautionary Statements

Prevention: Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Keep only in original packaging. Keep away from heat. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Use only outdoors or in a well-ventilated area.

Response: In case of fire: Use water spray, foam, dry powder or carbon dioxide for extinction. Immediately call a POISON CENTER/doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Absorb spillage to prevent material damage.

Storage: Store locked up. Store in a corrosion-resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-------------------|------------|-------------------------|
| Nitric acid | 7697-37-2 | 65 - 70% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

| | |
|-----------------------------|--|
| General information: | Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance. |
| Ingestion: | Call a physician or poison control center immediately. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Inhalation: | Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. |
| Skin Contact: | Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes. |
| Eye contact: | Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately. |

Most important symptoms/effects, acute and delayed

| | |
|------------------|--|
| Symptoms: | Causes severe skin burns and eye damage. Causes digestive tract burns. Spray mists may cause respiratory tract irritation. |
| Hazards: | Corrosive. |

Indication of immediate medical attention and special treatment needed

| | |
|-------------------|---|
| Treatment: | Treat symptomatically. Symptoms may be delayed. |
|-------------------|---|

5. Fire-fighting measures

| | |
|------------------------------|---|
| General Fire Hazards: | Strong oxidizer - contact with other material may cause fire. |
|------------------------------|---|

Suitable (and unsuitable) extinguishing media

| | |
|--|---|
| Suitable extinguishing media: | Water spray, fog, CO2, dry chemical, or regular foam. |
| Unsuitable extinguishing media: | None known. |

| | |
|--|--|
| Specific hazards arising from the chemical: | Oxidizing Contact with combustible material may cause fire. Fire may produce irritating, corrosive and/or toxic gases. |
|--|--|

Special protective equipment and precautions for firefighters

| | |
|--|--|
| Special fire fighting procedures: | Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out. |
|--|--|

| | |
|--|--|
| Special protective equipment for fire-fighters: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
|--|--|

6. Accidental release measures

| | |
|---|---|
| Personal precautions, protective equipment and emergency procedures: | Keep unauthorized personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. |
| Methods and material for containment and cleaning up: | Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if possible without any risk. Do not absorb in sawdust or other combustible materials. Absorb spill with vermiculite or other inert material. Collect in a non-combustible container for prompt disposal. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal. |
| Notification Procedures: | Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved. |
| Environmental Precautions: | Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

| | |
|--|--|
| Precautions for safe handling: | Keep away from combustible material. Do not get in eyes, on skin, on clothing. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. Do not taste or swallow. Never add water to acid! Never pour water into acid/base. Dilute by slowly pouring the product into water while stirring. |
| Conditions for safe storage, including any incompatibilities: | Do not store in metal containers. Store away from heat and light. Keep away from combustible material. Keep containers closed when not in use. Store in a cool, dry place. Keep container in a well-ventilated place. |

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|-------------------|--------|-----------------------|---|
| Nitric acid | STEL | 4 ppm | US. ACGIH Threshold Limit Values (2011) |
| | TWA | 2 ppm | US. ACGIH Threshold Limit Values (2011) |
| | STEL | 4 ppm 10 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2010) |
| | REL | 2 ppm 5 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2010) |
| | PEL | 2 ppm 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | STEL | 4 ppm 10 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | 2 ppm 5 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | 2 ppm 5 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | STEL | 4 ppm 10 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | ST ESL | 20 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010) |

| | | | |
|--|---------|----------------|--|
| | AN ESL | 2 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010) |
| | ST ESL | 50 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010) |
| | AN ESL | 5 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010) |
| | STEL | 4 ppm 10 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010) |
| | TWA PEL | 2 ppm 5 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010) |

Appropriate Engineering Controls

Adequate ventilation should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Chemical respirator with acid gas cartridge.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: Liquid
Form: Liquid
Color: Colorless to slightly yellow

Odor: Pungent

Odor threshold: No data available.

pH: 1 (6.30 g/l, 20 °C)

Melting point/freezing point: -42 °C

Initial boiling point and boiling range: 122 °C

Flash Point: not applicable

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

| | |
|---|--------------------|
| Flammability limit - lower (%): | No data available. |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | 6.4 kPa |
| Vapor density: | 2.5 |
| Density: | 1.41 g/ml (20 °C) |
| Relative density: | 1.41 (20 °C) |
| Solubility(ies) | |
| Solubility in water: | Soluble |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Auto-ignition temperature: | No data available. |
| Decomposition temperature: | No data available. |
| Viscosity: | No data available. |

10. Stability and reactivity

| | |
|--|---|
| Reactivity: | Reacts violently with strong alkaline substances. |
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | Hazardous polymerization does not occur. Decomposes on heating. |
| Conditions to avoid: | Reacts violently with strong alkaline substances. Avoid contact with strong reducing agents. Excessive heat. Contact with incompatible materials. |
| Incompatible Materials: | Alcohols. Reducing agents. Metals. Alkalies. |
| Hazardous Decomposition Products: | Nitrogen Oxides By heating and fire, corrosive vapors/gases may be formed. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|---|
| Inhalation: | May cause damage to mucous membranes in nose, throat, lungs and bronchial system. |
| Skin Contact: | Causes severe skin burns. |
| Eye contact: | Causes serious eye damage. |
| Ingestion: | May cause burns of the gastrointestinal tract if swallowed. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

| | |
|-----------------|--------------------|
| Oral | |
| Product: | No data available. |
| Dermal | |
| Product: | No data available. |

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure

Product: Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure

Product: None known.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

Aspiration Hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Nitric acid LC 50 (Salmo sp., 96 h): 4,400 - 6,000 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Nitric acid
LC 50 (Cockle (Cerastoderma edule), 48 h): 330 - 1,000 mg/l
LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 180 mg/l
EC 50 (Daphnia magna, 48 h): 490 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil:

The product is water soluble and may spread in water systems.

Other adverse effects:

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

13. Disposal considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging:

Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

| | |
|-------------------------------|-----------------|
| UN Number: | UN 2031 |
| UN Proper Shipping Name: | Nitric acid |
| Transport Hazard Class(es) | |
| Class: | 8 |
| Label(s): | 8, 5.1 |
| Packing Group: | II |
| Marine Pollutant: | No |
| Special precautions for user: | Not determined. |

IMDG

| | |
|-------------------------------|-----------------|
| UN Number: | UN 2031 |
| UN Proper Shipping Name: | NITRIC ACID |
| Transport Hazard Class(es) | |
| Class: | 8 |
| Label(s): | 8, 5.1 |
| EmS No.: | F-A, S-Q |
| Packing Group: | II |
| Marine Pollutant: | No |
| Special precautions for user: | Not determined. |

IATA

| | |
|-------------------------------|-----------------|
| UN Number: | UN 2031 |
| Proper Shipping Name: | Nitric acid |
| Transport Hazard Class(es): | |
| Class: | 8 |
| Label(s): | 8, 5.1 |
| Packing Group: | II |
| Marine Pollutant: | No |
| Special precautions for user: | Not determined. |

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Nitric acid | 1000 lbs. |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Oxidizer (liquid, solid or gas)
- Corrosive to metal
- Skin Corrosion or Irritation
- Serious eye damage or eye irritation
- Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

| <u>Chemical Identity</u> | <u>Reportable quantity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|----------------------------|------------------------------------|
| Nitric acid | 1000 lbs. | 1000 lbs. |

SARA 304 Emergency Release Notification

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Nitric acid | 1000 lbs. |

SARA 311/312 Hazardous Chemical

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|------------------------------------|
| Nitric acid | 500 lbs. |

SARA 313 (TRI Reporting)

| <u>Chemical Identity</u> | <u>Reporting threshold for other users</u> | <u>Reporting threshold for manufacturing and processing</u> |
|--------------------------|--|---|
| Nitric acid | 10000 lbs. | 25000 lbs. |

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Nitric acid | 15000 lbs. |

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|--------------------------------|
| Nitric acid | Reportable quantity: 1000 lbs. |

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

| <u>Chemical Identity</u> |
|--------------------------|
| Nitric acid |

US. Massachusetts RTK - Substance List

| <u>Chemical Identity</u> |
|--------------------------|
| Nitric acid |

US. Pennsylvania RTK - Hazardous Substances

| <u>Chemical Identity</u> |
|--------------------------|
| Nitric acid |

US. Rhode Island RTK

| <u>Chemical Identity</u> |
|--------------------------|
| Nitric acid |

International regulations

Montreal protocol

not applicable

Stockholm convention

not applicable

Rotterdam convention

not applicable


Kyoto protocol
not applicable

Inventory Status:

| | |
|--|--|
| Australia AICS: | On or in compliance with the inventory |
| Canada DSL Inventory List: | On or in compliance with the inventory |
| EINECS, ELINCS or NLP: | On or in compliance with the inventory |
| Japan (ENCS) List: | On or in compliance with the inventory |
| Korea Existing Chemicals Inv. (KECI): | On or in compliance with the inventory |
| Philippines PICCS: | On or in compliance with the inventory |
| US TSCA Inventory: | On or in compliance with the inventory |
| New Zealand Inventory of Chemicals: | On or in compliance with the inventory |
| Japan ISHL Listing: | Not in compliance with the inventory. |
| China Inv. Existing Chemical Substances: | On or in compliance with the inventory |
| Mexico INSQ: | On or in compliance with the inventory |
| Taiwan Chemical Substance Inventory: | On or in compliance with the inventory |

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible
OXY: Oxidizer

| | |
|-------------------------------|--|
| Issue Date: | 03-25-2018 |
| Revision Information: | Not relevant. |
| Version #: | 3.2 |
| Source of information: | Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate. |
| Further Information: | No data available. |

Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS (“AVANTOR”) EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor’s products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR’S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.